



GEORGIA FIREFIGHTER STANDARDS AND TRAINING

FIREFIGHTER 1



Objective(s) 5.3.1409

Primary Task: ONE PERSON SALVAGE SPREAD

Skill No. SAL-1 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be provided with furniture to be covered.
3. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

1. "The candidate, given the salvage cover provided, shall demonstrate deployment of a salvage cover rolled/folded for a one-person salvage cover spread, to cover property."

- ◆ 1. Wears appropriate personal protective equipment.
2. Starts at one end of the objects to be covered and unroll a sufficient amount to cover the end.
3. Lays the roll on the objects and continues to unroll toward the opposite end.
4. Completely unrolls cover being sure to cover both ends of objects.
5. Stand at one end and grasp the open edges of the cover where convenient, one edge in each hand.
- ◆ 6. Opens the sides of the cover by snapping the hands up and out.
7. Opens the other end the same way.
- ◆ 8. Ensures that materials are completely covered.
9. Tucks the edges of the cover at the floor.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

7

Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1409

Primary Task:

TWO-PERSON SALVAGE SPREAD

Skill No. SAL-2 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be provided with assistance in performing this operation but the assistant shall only do what he/she is instructed to do by the candidate.
3. The candidate shall be provided with furniture to be covered.
4. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given the salvage cover provided, shall demonstrate deployment of a salvage cover rolled/folded for a two-person salvage cover spread, to cover property. (Assistance may be provided, but the assistant can do only what he/she is instructed to do.)"

- ◆ 1. Wears appropriate personal protective equipment.
- 2. Stretches the cover along one side of the furnishings and separates the last half fold.
- 3. Makes several accordion folds in the inside hands and place outside hands about midway down the end hem.
- 4. Places the outside foot on the hem on the floor and pulls the cover tight between the firefighters doing the spread.
- ◆ 5. While holding the cover, swings the folded part down, up, and out on one sweeping movement.
- 6. When the cover is as high as can be reached, the accordion folds are pitched or carried across the objects.
- ◆ 7. Straightens the cover to ensure that materials are covered.
- 8. Tucks all edges of the cover along the floor.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

6

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1410

Primary Task: TWO-PERSON SALVAGE FOLD

Skill No. SAL-3 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be provided with assistance in performing this operation but the assistant shall only do what he/she is instructed to do by the candidate.
3. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given the salvage cover provided, shall demonstrate a salvage cover fold for a two-person salvage cover spread. (Assistance may be provided but the assistant can do only what he/she is instructed to do.)"

1. Lays the cover out flat on a clean surface.
2. Positions him/herself at the edge of the cover along a short side.
3. Grasps the cover along the edge and at the center raising the center fold high above the floor.
4. Shakes out the wrinkles.
5. Spreads the cover out on the floor so that the cover is folded in half.
6. Grasps the cover at the corner on the side with the open edges.
7. Using the foot toward the folded edge as a pivot, the firefighters bring the open edge side of the cover back over on top of itself.
8. Aligns the edges and smooth out the wrinkles.
9. Folds the cover in half from the side of the cover and smooths it out.
- ◆ 10. Continues folding the cover in half until cover is small enough to carry.
- ◆ 11. Completes the fold when the cover is small enough to carry.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

8

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1410

Primary Task: ONE PERSON SALVAGE ROLL

Skill No. SAL-4 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be provided with assistance in performing this operation but the assistant shall only do what he/she is instructed to do by the candidate.
3. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given the salvage cover provided, shall demonstrate a salvage cover roll for a one-person salvage cover spread. (Assistance may be provided, but the assistant can do only what he/she is instructed to do.)"

1. Lays the cover out flat on a clean surface.
2. Positions him/herself at the edge of the cover along a short side.
3. Locates the center point along the edge of the cover.
4. Grasps the cover with the hand on the side to be folded midway between the center and the edge.
5. Places the other hand as a pivot point midway between the outside hand and the center.
6. Brings the fold over to the center.
7. Brings the outside edge over to the center and places it on top of and in line with the previously placed fold.
8. Folds the other half of the cover in the same manner as steps 2 - 6.
- ◆ 9. Rolls tightly from one end to the other.
- ◆ 10. Straighten out as necessary and completes the roll, fold the end over about 12 inches.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

7

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1411

Primary Task:

CONSTRUCT A WATER CHUTE

Skill No. SAL-5 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be provided with two pike poles.
3. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given the salvage cover and pike poles provided, shall demonstrate the construction of a water chute."

- ◆ 1. Wears appropriate personal protective equipment.
- 2. Spreads out the salvage cover on the floor.
- 3. Lays a pike pole along opposite sides of the cover, leaving the hooks above the edge.
- 4. Folds the edges of the cover over each pike pole.
- 5. Rolls the pike poles toward each other until the chute is the desired width.
- ◆ 6. Completes construction of the water chute.
- 7. Elevates the hooks so water can be channeled away.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

5

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING

FIREFIGHTER 1



Objective(s) 5.3.1411

Primary Task: CONSTRUCT A WATER CATCH-ALL

Skill No. SAL-6 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with a salvage cover.
2. The candidate shall be given the instructions below before beginning the exercise.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given the salvage cover provided, shall demonstrate the construction of a water catch-all."

- ◆ 1. Wears appropriate personal protective equipment.
- 2. Lays the salvage cover flat out on the floor.
- 3. Rolls one side in approximately three feet.
- 4. Turns the rolls in about 3 feet from the ends at a 90-degree angle to form corners.
- 5. Rolls the other side in approximately three feet.
- 6. Turns the rolls in about 3 feet from the ends at a 90-degree angle to form corners.
- 7. From the side of the cover that hasn't been rolled, rolls into a tight roll on top of the side rolls that have been turned in.
- 8. Tucks the end rolls at the corners to lock the corners.
- 9. Rolls the other side in a like manner and tucks the corners as above.
- ◆ 10. Completes construction of the catch-all.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

7

Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1415

Primary Task:

STOP WATER FROM SPRINKLER HEAD

Skill No. SAL-7 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with an open sprinkler head.
2. The candidate shall be provided with a sprinkler stop or wedges.
3. The candidate shall be given the instructions as indicated below.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, having an open sprinkler head and given a sprinkler stop or sprinkler wedge, shall demonstrate procedures for controlling the flow of water from the open head."

METHOD ONE	METHOD TWO
1. Secures 2 sprinkler wedges.	1. Secures a sprinkler stop from the apparatus.
2. Insert 2 small wedges, one from each side, between the discharge orifice and the deflector.	2. Places the flat coated part of the stop over the sprinkler head orifice and between the frame of the sprinkler head.
◆ 3. Bumps the wedges securely into place to stop the flow.	◆ 3. Pushes the lever to expand the stop until it snaps into position.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

3

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1416

Primary Task: CLOSE AND OPEN MAIN CONTROL VALVE (OS&Y)

Skill No. SAL-8 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE MONITOR/EVALUATOR

1. The candidate shall be provided with an OS&Y valve. (Preferably on an automatic sprinkler system.)
2. The candidate shall be given the instructions as indicated below.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given various main control valves on a sprinkler system, shall identify the OS&Y valve and demonstrate procedures for operating it."

- ◆ 1. Correctly identifies the valve.
- 2. Removes the lock with bolt cutters if the valve is locked in place.
- 3. Turns the valve in a clockwise direction to close.
- ◆ 4. Completely closes the valve.
- 5. Opens the valve by turning it in a counter-clockwise direction.
- ◆ 6. Completely opens the valve.

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

5

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**



GEORGIA FIREFIGHTER STANDARDS AND TRAINING FIREFIGHTER 1



Objective(s) 5.3.1416

Primary Task: CLOSE AND OPEN MAIN CONTROL VALVE (PIV)

Skill No. SAL-9 PERFORMANCE EVALUATION & INSTRUCTIONS SHEET

INSTRUCTIONS TO THE EVALUATOR/MONITOR

1. The candidate shall be provided with a PIV. (Preferably on an automatic sprinkler system.)
2. The candidate shall be given the instructions as indicated below.

INSTRUCTIONS TO THE CANDIDATE

"The candidate, given various main control valves on a sprinkler system, shall identify the PIV and demonstrate procedures for operating it."

- ◆ 1. Correctly identifies the valve.
- 2. Removes the lock with bolt cutters if the valve is locked in place.
- 3. Removes the operating handle.
- 4. Places the operating handle on the operating nut on top of the stem.
- ◆ 5. Turns the valve (operating nut) in a clockwise direction until the word **shut** appears in the "window".
- ◆ 6. Opens the valve by turning the operating nut in a counter-clockwise direction until the word **open** appears in the "window".

◆ **Critical Step** - Failure on this step mandates failure on the entire objective!

SAFETY IS PARAMOUNT!!

Total steps candidate must complete to Pass

5

**Prevent or prohibit any unsafe acts.
Contact the Monitor at any time with any questions you may have.
Remember, you are an evaluator, not a trainer...**